Photo Printer

Canon
Delighting You Always

DEDICATED PERFORMANCE

FUN FILTER EFFECT ENHANCED FULL HD MOVIE PRINT AUTO DUPLEX PRINTING 5 SINGLE INK TANKS



THE PIXMA BLACK SERIES

THE PIXMA BLACK SERIES

THE PIXMA BLACK SERIES

QUALITY, CREATIVITY & CONVENIENCE

The PIXMA iP4970 is a high-speed, high-quality photo printer that provides a variety of creative printing options for digital images and HD movie stills. It features paper-saving Auto Duplex Printing and an individual ink tank system that reduces ink wastage and an ECO Information screen keeps track of how much paper you save. You'll accomplish so much more with the quality, creativity and convenience of the PIXMA iP4970.

Before You Buy, Demand To Know The True Speed Of That Inkjet Printer

You cannot accurately compare the speed of inkjet printers when there are different test methods. Unless the universal ISO Print Speed Measurement standards are used, it's impossible to know which printer is faster: one that prints 10 images per minute (ipm) or one that prints 30 pages per minute (ppm). Canon has adopted the universal ISO standards for inkiet printers to ensure that you always get the performance you expect right out of the box. Demand the ISO standard - it's the only way to know the real speed of your inkjet printer.




















OVERVIEW SPECIAL FEATURES

Full HD Movie Print


Print vour favorite moment. Catch the motion and tell the story.





Full HD Movie Print


Fun Filter Effect Just a few clicks to add















Auto Photo Fix II





Advanced Media Handling

Auto Duplex Printing, 2-way Paper Feeding* and Direct Disc Print functions.







Easy-WebPrint Ex

Quiet Mode

Lets you clip, arrange and Easy-WebPrint EX print web page contents.

Offers near silent operation with straightforward settings.



Camera Direct Printing





* Cassette is available only for plain paper.

High-quality & High-speed 1pl, 9600dpi, 5 colors and ISO Standard speed.







Canon Creative Park Premium

Explore and print exclusive premium content.

CREATIVE PARK PREMIUM

* Only available when using Canon genuine inks for all colors.

FUN FILTER EFFECT Fun Filter Effect







Create a more artistic impression or add some fun to your ordinary photo through Fun Filter Effect. This software is conveniently accessed via Solution Menu EX or Easy-PhotoPrint EX. Simply select an image, choose the desired effect and follow the easy steps.

Fish-Eve

Miniature

A fish-eye lens captures extremely wide images, giving them a fun, distorted appearance. To create the same look, just select the center of the effect and the degree of distortion.

Softens the edges of your images, making subjects appear to be miniatures. Select the width of the focus

area to control the degree of miniaturization.



Before





Toy Camera

Soft Focus

Creates a stylish and increasingly popular effect by making your images appear as if they were captured with a vintage or "toy" camera.



Decreases the sharpness of your images to create a dreamy, artistic feel. You can control the degree of softness.









Blur Background

Makes the subject stand out by giving the background a soft, pleasing blur.



PRINT EASY OPERATION

ENHANCED FULL HD FULL HD FULL FOR PRINTED **MOVIE PRINT**



Extract individual frames from movies taken with your Canon digital camera and print them as beautiful still photographs. For optimal image quality, you can even enhance the resolution and reduce noise before printing. Now you can do even more:





Merge Frames NEW!

create an extraordinary image showing the natural flow of movement.




Layout NEW!

Combine multiple frames of an action sequence to Create a layout with multiple frames from a movie clip. You can choose the paper size, layout orientation, frame direction and automatically adjust the cropping area of each frame.



Clearer Images NEW!









Clearer Image







Auto Duplex Printing



This time and resource saving feature automatically prints on both sides of the paper.



2-Way Paper Feeding



Load up to 150 sheets of plain paper in the rear tray and another 150 in the cassette. Or load two types of paper to avoid delays when switching media.



Direct Disc Print / Case Cover Print Direct Disc Print

Choose from multiple layout and background patterns when printing directly onto a printable CD or DVD. You can also design and print CD case covers.



Auto Photo Fix II



Images are analyzed based on the presence of faces, type of scene and lighting conditions. Precision adjustments are then made to skin tones, brightness and color cast.





Solution Menu EX

This convenient desktop menu gives you instant access to a variety of printing, scanning and web-based solutions: print HD movie frames, visit Creative Park Premium, set the printer to Quiet Mode or use Fun Filter Effect.



CONNECTIVITY **SOFTWARE & TECHNOLOGY**


Сапон

PictBridge Camera-Direct Printing

Connect any PictBridge-compatible digital camera directly to the PIXMA iP4970 and print brilliant photos without a computer.


ChromaLife100+*

Using Canon's dye-based inks and genuine photo papers, prints can last up to 300 years under proper storage conditions. Image quality is also greatly enhanced.



Gas Fastness Approx. 20 years





No noticeable color change

EASY-WEBPRINT EX EASY-WEBPINT



Clip, arrange, edit, resize and print web pages easily.

Improved Legibility

Enhance readability by changing gray With a click, reduce or enlarge content text to black or increasing font size.



Fit-To-Page

so it fits on one page.



Booklet Print

Consolidate clipped web content in an A5-sized booklet, printed on both sides.




Clip & Merge

Clip, edit and resize web material; you With a click, clip the main part of the can insert images stored on your PC web page for printing. before printing.









Auto Clip



Save Paper

Reduce Size/Fit to Page and Save to PDF options lower paper use.





A BETTER ENVIRONMENT

To reduce CO₂ emissions, PIXMA printers conform to the EU RoHS directive and the international Energy Star Program. In addition, the PIXMA iP4970 features a number of innovations to help create a better environment.

ECO Information NEW!

Know the exact amount paper you've saved and how Minimize operating noise with Quiet Mode, which is easily much you've reduced CO₂ emissions by using Auto accessible via the Home Screen or Solution Menu EX. Duplex Mode.







Quiet Mode NEW!









PAPER MEDIA & CARTRIDGES PIXMA iP4970 SPECIFICATIONS

Photo Printing



万姓 如 外景

PT-101 Photo Paper Pro Platinum

- (Super High Gloss) • 300g/m²
- 4x6", 8x10", A4













SG-201 Photo Paper Plus Semi-Gloss

- 270g/m²
- 4x6", 8x10", A4

Special Projects



MP-101 Matte Photo Paper

- 170a/m²
- 4x6", A4



PS-101 Photo Stickers

- 190a/m²
- Stickers (5 sheets/pack) (16 photo stickers/sheet)

Business Printing



HR-101N High Resolution Paper

- 110a/m²
- A4

Ink Cartridges

PGI-725 **Pigment** Black 725





















CREATIVE PARK EXCLUSIVE ACCESS! PREMIUM

As the owner of a PIXMA iP4970, you have privileged access to Creative Park Premium. This is an elite, online service that allows you to download a wide range of professional photos and illustrations from world-renowned artists premium content that is not available at Canon Creative Park. Use these FREE downloads to create extraordinary prints, posters, calendars, greeting cards and much more. This exclusive site can be accessed through Solution Menu EX.





NOTE: CREATIVE PARK PREMIUM is a premium content service available exclusively

to users only when all of the colors of genuine Canon inks are installed





Canon Creative Park -**Paper Was Never So Much Fun!**

Download FREE templates to create personalized gifts, cards, 3D paper art, calendars and scrapbooking materials. It's the fun way to get the most out of your PIXMA printer!



www.canon.com/c-park

Maximum Printing Resolution		9600 (horizontal)*1 x 2400 (vertical) dpi
Print Head / Ink	Type	Individual Ink Cartridge
	Total Number of Nozzles	4,608 nozzles
	Min. Ink Droplet Size	1pl
	Ink Tank	PGI-725 Pigment Black, CLI-726 Cyan / Magenta / Yellow / Black
Print Speed	Document: Color*2 ESAT/Simplex	approx. 9.3ipm
	Document: B/W ⁺² ESAT/Simplex	approx. 12.5ipm
	Photo (4x6")*2 PP-201/Borderless	approx. 20sec.
Printable Width		Up to 203.2mm (8 inches), Borderless: Up to 216mm (8.5 inches)
Printable Area	Borderless Printing*3	Top / Bottom / Right / Left margin: each 0mm (Supported Paper Size: A4 / LTR / 4x6" / 5x7" / 8x10")
	Bordered Printing	Top margin: 3mm, Bottom margin: 5mm Left / Right margin: each 3.4mm (LTR / LGL: Left: 6.4mm, Right: 6.3mm)
	Bordered Auto Duplex Printing	Top margin: 5mm, Bottom margin: 5mm Left / Right margin: 3.4mm (LTR / LGL: Left: 6.4mm, Right: 6.3mm)
Recommended Printing Area		Top margin: 40.7mm / Bottom margin: 37.4mm
Paper Size ^{*4}		A4, A5, B5, LTR, LGL, 4x6", 5x7", 8x10", Envelopes (DL, COM10)
Paper Handling (Rear Tray)	Plain Paper	A4, A5, B5, LTR, LGL = 150
(Maximum Number)	High Resolution Paper (HR-101N)	A4 = 80
	Photo Paper Pro Platinum (PT-101)	4x6" = 20, A4 / 8x10" = 10
	Photo Paper Plus Glossy II (PP-201)	4x6" = 20, A4 = 10
	Photo Paper Plus Semi-Gloss (SG-201)	4x6" = 20, A4 / 8x10" = 10
	Glossy Photo Paper "Everyday Use" (GP-501)	4x6" = 20, A4 = 10
	Matte Photo Paper (MP-101)	4x6" = 20, A4 = 10
	Photo Stickers (PS-101)	
	T-Shirt Transfer (TR-301)	
	Envelope	European DL / US Com. #10 = 10
Paper Handling (Cassette) (Maximum Number)	Plain Paper	A4, A5, B5, LTR = 150
Disc Handling (CD-R Tray)	Printable Disc	1 (Manual handling by the CD-R tray)
Support Media for	Type	Plain Paper (Bordered)
Auto Duplex Printing	Size	A4. A5. B5. LTR
Paper Weight	Rear Tray	Plain Paper: 64-105g/m², Canon specialty paper: max paper weight: approx. 300g/m² (Photo Paper Pro Platinum PT-101)
	Cassette	Plain Paper: 64-105g/m ²
Ink End Sensor		Optical sensor + Dot count
Print Head Alignment		Auto / Manual
SYSTEM REQUIREMENTS		
Windows		Windows XP SP2, XP SP3/Vista SP1, Vista SP2/Windows 7, 7 SP1
Macintosh		Mac OS X v10.4.11 – 10.7
GENERAL SPECIFICATIONS		
Interface		USB 2.0 Hi-Speed, PictBridge
		, , ,
Operating Environment		Temperature: 5 - 35°C, Humidity: 10 - 90% RH (no dew condensation) Temperature: 0 - 40°C, Humidity: 5 - 95% RH (no dew condensation)
Storage Environment Acoustic Noise (PC Print)*5		approx. 45.5dB
Power		AC 100-240V, 50/60Hz
	Standby	
Power Consumption Environment	Standby Printing*6	approx. 18W
	Printing*6	approx. 18W
Environment	Regulation	RoHS (EU, China), WEEE (EU)
Dimension (MaDull)	Eco-Label	Energy Star
Dimension (WxDxH)		approx. 431 x 297 x 153mm
Weight		approx. 5.7kg

Specifications are subject to change without notice.

- *1 Ink droplets can be placed with a pitch of 1/9600 inch at minimum.
- *2 Document print speeds are the averages of ESAT in Office Category Test for the default simplex mode, ISO/IEC 24734.

Photo print speed is based on the default setting using ISO/JIS-SCID N2 on Photo Paper Plus Glossy II and does not take into account data processing time on host computer.

- Print speed may vary depending on system configuration, interface, software, document complexity, print mode, page coverage, type of paper used, etc.
- *3 Paper types NOT supported for borderless printing are as follows: Envelope, High Resolution Paper, T-Shirt Transfer, Photo Stickers
- *4 The paper sizes that can be fed from the cassette are A4, A5, B5 and LTR.
- *5 When printing ISO/JIS-SCID N2 pattern on 4x6" Photo Paper Plus Glossy II using
- *6 When printing ISO/JIS-SCID N2 pattern on A4 size plain paper using default settings.

CHROMALIFE100 PROPER STORAGE CONDITIONS

300-year life in an album:

<on transfer of estimations are permanence presented above are made using an accelerated dark storage test designed for silver-halide photos (ISO/FDIS18909). Samples are printed with an optical density of 1.0 (each black, cyan, magenta, yellow) and kept in a controlled environment of high temperature and 50% relative humidity. The of self-order and to design of the present is designed to accelerate out rading. The rate of the decrease in the optical density and the rate of self-order parts of the decrease in the optical density and the rate of relative the proposal of the paper are measured. Finally, the results are extrapolated to the length of time that a printed image is kept in an environment of 25°C, 50% RM.</p>

30-year lightfastness:

Criteria for estimation: When displayed in a glass frame in a typical indoor space (estimating 500lux / 10 hours policy) in the control of the cont

20-year gas fastness:

 Estimates for gas fastness are made under the following test conditions: Temperature (24°C) and humidity (60% RH) are controlled in an environment of mixed gases of Os, NOx and SOx. The ratio of the gases is typical to indoor air composition (Os: NOx: SOx = 3:19:1) with 100-times concentration in order to accelerate fading.

<Criteria for estimation of print longevity> Estimates for image permanance are made using the Wilhelm Imaging Research, Inc. Endpoint criteria: Accumulated illuminance causes a monochromatic reflective optical density loss of 20-35% (figures set respectively for each color, starting density of 1.0). Accumulated illuminance causes a difference in color balance of yellow, magenta and

<Ips>.
Making your printed images last longer. Light, environmental gases, high temperature and humidity can accelerate color fading. When displaying your photographs, avoid high-intensity lighting and use glass-filtered frames. Photos stored in the dark, using archival quality albums or storage materials, will tend to last longer than photos that are exposed to light. Avoid high temperatures and high humidity to promote the image permanence of your photos.

Note: The image permanence estimates presented above may vary depending on display / storage conditions The expressed numbers of years estimates are the result of simulated, accelerated tests conducted by Caron Inc and do not represent a product guarantee.



SOUTH & SOUTHEAST ASIA REGIONAL HEADQUARTERS:

CANON SINGAPORE PTE, LTD.

1 HarbourFront Avenue #04-01 Keppel Bay Tower Singapore 098632 Tel: 65-6799 8888 Fax: 65-6799 8882

www.canon-asia.com

CANON OFFICES

INDIA.

Canon India Pvt. Ltd. Tel: 91-124-4160 000 Fax: 91-124-4160 011 www.canon.co.in

MALAYSIA:

Canon Marketing (Malaysia) Sdn. Bhd. Tel: 603-7844 6000 Fax: 603-7845 0505 www.canon.com.my

SINGAPORE

Canon Singapore Pte. Ltd. Tel: 65-6799 8888 Fax: 65-6221 7577 www.canon.com.sq

THAILAND:

Canon Marketing (Thailand) Co. Ltd. Tel: 66-2-3449 999 Fax: 66-2-3449 967-68 www.canon.co.th

VIETNAM

Canon Singapore Pte. Ltd. Ho Chi Minh City Representative Office & Showroom Tel: 84-8-8200 466 Fax: 84-8-8200 477 www.canon.com.yn

Hanoi Representative Office Tel: 84-4-7711 677 Fax: 84-4-7711 678 www.canon.com.yn

CANON BUSINESS PARTNERS

BANGLADESH:

J.A.N. Associates Tel: 880-2-8611 444 Fax: 880-2-8610 410

BRUNEI:

Interhouse Company Tel: 673-2-653 001 Fax: 673-2-653 003

CAMBODIA:

i-Qlick (Cambodia) Pte. Ltd. Tel: 855-23-996 638 Fax: 855-23-996 639

INDONESIA

P. T. Datascrip Tel: 62-21-2664 8999 Fax: 62-21-6544 811-13 www.canon.co.id

MALDIVES

SIMDI Tel: 960-333 4421 Fax: 960-333 4424

MYANMAR

Myanmar Golden Rock International Co. Ltd. Tel: 95-1-2020 92/3/4 Fax: 95-1-202 079

NFPAI

International Electronics Concern (P) Ltd. Tel: 977-1-4421 991 Fax: 977-1-4421 909

PAKISTAN

MBM International Tel: 92-21-3227 77093-4 Fax: 92-21-3438 6308

SRI LANKA

Metropolitan Computers (Pvt.) Ltd.
Tel: 94-11-2437 797

Tel: 94-11-2437 797 Fax: 94-11-2448 980

Dealer's Stamp